

Homeless Assaults Increase On Residents

https://www.nbcsandiego.com/news/local/victims-of-random-attacks-by-homeless-want-city-police-to-do-more/2658422/





CAMPING BAN ONLY GOVERNMENT PROPERTY COMMUNITIES IGNORED


CALIFORNIA FREEWAY OVERPASS

https://people.com/crime/california-woman-killed-car-brick-smashes-window/


























LARGEST CARTEL IN USA - GOVERNMENT **GREED TAX REVENUE AUTHORIZED SALES CANNIBAS**

https://taxfoundation.org/marijuana-tax-legalization-federal-revenue/

CANNABIS MARIJUANA USE AND TEENS

https://www.cdc.gov/marijuana/factsheets/pdf/MarijuanaFactSheets-Teens-508compliant.pdf



The teen years are a time of growth, exploration, and risk-taking. Some risk-taking may foster identity development and independence (e.g., running for student council, asking someone out on a date). However, some risk behaviors—such as using marijuana—can have adverse effects on a teen's health and well-being.

How many teens use marijuana?

In 2019, 37% of US high school students reported lifetime use of marijuana and 22% reported use in the past 30 days. Past-year vaping (e-cigarette use) of marijuana also remained steady in 2020 following large increases in 2018 and 2019. However, large percentages of middle and high school students reported past-year marijuana vaping-8% of eighth graders, 19% of 10th graders, and 22% of 12th graders.2

How marijuana can impact a teen's life

Increased risk of mental health issues. Marijuana use has been linked to a range of mental health problems, such as depression and social anxiety.3 People who use marijuana are more likely to develop temporary psychosis (not knowing what is real, hallucinations, and paranoia) and long-lasting mental disorders, including schizophrenia (a type of mental illness where



Marijuana and the teen brain:

The teen brain is actively developing and continues to develop until around age 25. Marijuana use during adolescence and young adulthood may harm the developing brain.34



Negative effects of teen marijuana use include3:

- Difficulty thinking and problem-solving
- Problems with memory and learning
- Reduced coordination
- Difficulty maintaining attention
- Problems with school and social life

people might see or hear things that aren't there).5 The association between marijuana and schizophrenia is stronger in people who start using marijuana at an earlier age and use marijuana more frequently.

Impaired driving. Driving while impaired by any substance, including marijuana, is dangerous and illegal. Marijuana negatively affects several skills required for safe driving, such as reaction time, coordination, and concentration.36

Potential for addiction. Approximately 3 in 10 people who use marijuana have marijuana use disorder.7 Some signs and symptoms of marijuana use disorder include trying but failing to guit using marijuana or giving up important activities with friends and family in favor of using marijuana.8 The risk of developing marijuana use disorder is stronger in people who start using marijuana during youth or adolescence and who use marijuana more frequently.9



LEARN MORE:

CDC's Marijuana and Public Health: www.cdc.gov/marijuana cdcmarijuanafag@cdc.gov

CDC's Impaired Driving: Get the Facts Marijuana: https://www. cdc.gov/transportationsafety/impaired driving/impaired-dry factsheet.html

NIDA Drug Facts: teens.drugabuse.gov/drug-facts/marijuana

NIDA Marijuana Facts for Teens: https://archives.drugabuse.gov/ publications/marijuana-facts-teens/letter-to-teensmarijuanafacts-teens/letter-to-teens

Fast Facts



- In 2019, 4 in 10 high school students reported using marijuana in their lifetime.1
- Marijuana use might have permanent effects on the developing brain when use begins in adolescence, especially with regular or heavy use.3,4
- Compared with teens who do not use marijuana, teens who use marijuana may be less likely to graduate from high school or college.10,11

References:

- Jones CM, Clayton HB, Deputy NP, Roehler DR, Ko JY, Esser MB, Brookmeyer KA, Hertz MF. Prescription Opioid Misuse and Use of Alcohol and Other Substances Among High School Students - You th Risk Behavior Survey, United States, 2019. MMWR Suppl. 2020 Aug 21;69(1):38-46.
- NIDA, 2020, December 15. Study: Surge of teen vaping levels off, but remains high as of early 2020. Retrieved from https://www.drugabuse.gov/newsevents/news-releases/2020/12/study-surge-of-teen-vaping-levels-off-but-remains-high-as-of-early-2020 on 2021, September 7.
- National Academies of Sciences Engineering and Medicine, "The health effects of cannabis and cannabinoids: Current state of evidence and recommendations for research,"Washington, DC, 2017.
- Batalla A, Bhattacharyya S, Yücel M, Fusar-Poli P, Crippa JA, Nogué S, Torrens M, Pujol J, Farré M, Martin-Santos R. Structural and functional imaging studies in chronic cannabis users: a systematic review of adolescent and adult findings. PLoS One. 2013;8(2):e55821.
- Volkow ND, Swanson JM, Evins AE, DeLisi LE, Meier MH, Gonzalez R, Bloomfield MA, Curran HV, Baler R. Effects of Cannabis Use on Human Behavior, Including Cognition, Motivation, and Psychosis: A Review. JAMA Psychiatry. 2016 Mar;73(3):292-7.
- Compton R. (2017, July). Marijuana-Impaired Driving A Report to Congress. (DOT HS 812 440). Washington, DC: National Highway Traffic Safety Administration.
- Hasin DS, Saha TD, Kerridge BT, Goldstein RB, Chou SP, Zhang H, Jung J, Pickering RP, Ruan WJ, Smith SM, Huang B, Grant BF. Prevalence of Marijuana Use Disorders in the United States Between 2001-2002 and 2012-2013. JAMA Psychiatry. 2015 Dec;72(12):1235-42.
- American Psychiatric Association, Diagnostic and Statistical Manual of Mental Disorders. 5th ed. Arlington, VA, 2013.
- Winters KC, Lee C-YS. Likelihood of developing an alcohol and cannabis use disorder during youth: Association with recent use and age. Drug Alcohol Depend. 2008:92(1-3):239-247.
- Macleod J, Oakes R, Copello A, et al. Psychological and social sequelae of cannabis and other illicit drug use by young people: a systematic review of longitudinal, general population studies. Lancet Lond Engl. 2004;363 (9421):1579-1588.
- 11. Silins E, Horwood LJ, Patton GC, et al. Young adult sequelae of adolescent cannabis use: an integrative analysis. Lancet Psychiatry. 2014;1(4):286-293.



Centers for Disease Control and Prevention National Center for Injury Prevention and Control

1-800-CDC-INFO (232-4636)






































https://www.sandiegouniontribune.com/news/homelessness/story/ 2023-02-28/golden-hall-shelter-to-closes-homeless-people-to-be-relocated



https://www.kusi.com/stephen-whitburn-invites-san-diegans-to-support-unauthorized-camping-ordinance/

Declare Golden Hall 1101 First Avenue not needed for City's use and is "surplus land" pursuant to CA Government Code sections 54220-54234



Civic Center Revitalization – The Project Area

https://www.kusi.com/stephen-whitburn-invites-san-diegans-to-support-unauthorized-camping-ordinance/



SAN DIEGO OVER 1000 HOMELESS **AFTER APPROVAL** OF LAW TO MOVE THE HOMELESS TO SHELTERS **GREED OF CITY SELLING LAND REMOVE EXISTING 550 BED SHELTER GOLDEN HALL**



CITY REMOVES 550 BEDS REDUCES SIZE TO 42 ROOM MOTEL

https://www.sandiegouniontribune.com/news/homelessness/story/2023-02-28/golden-hall-shelter-to-closes-homeless-people-to-be-relocated




NAVY BERTHING RACKS BEDS WITH STORAGE

https://warship.info/navy-ship-berthing-compartments



\$5.7 Million Tax Fund "nonprofit" City Net Mini Home Shelter

https://www.chulavistatoday.com/community/long-beach-nonprofit-city-net-to-operate-chula-vistas-first-homeless-shelter-5389933




90 DAY LIMIT STAY NO TO DRUG USE NO ALCOHOL USE

TAX FUND JANITORS
WILL CLEAN DAILY

JOB OF THE CLEAN
UP DUTIES FOR A
SENSE SELF WORTH

MILLIONS DEATHS FDA APPROVE OPIOIDS CDC HYPOCRISY - "OVERDOSE AWARENESS DAY" https://www.cdc.gov/drugoverdose/awareness/ioad.html

International Overdose Awareness Day is marked by placards representing 976 overdose deaths in the county in 2020. Unfortunately, the numbers in the opioid crisis getting worse, the experts here say there will be double the number of "cemetery markers" this time next year SD County Gov Place Signs Ignores Cause







FDA APPROVED OPIOIDS

https://www.verywellhealth.com/fda-opioid-approval-history-study-5079630

Product	Active Ingredient	Manufacturer	FDA Approval	On the Market
Oxycontin	oxycodone	Purdue Pharma	4/5/2010	Yes
Targiniq ER	oxycodone + naloxone	Purdue Pharma	7/23/2014	Pending
Embeda	morphine + naltrexone (sequestered)	Pfize	10/17/2014	Yes
Hysingla ER	hydrocodone	Purdue Pharma	11/20/2014	Yes
Morphabond	morphine	Inspirion	10/2/2015	Pending
Xtampza ER	oxycodone	Collegium	11/6/2015	Yes
Troxyca ER	oxycodone + naltrexone	Pfize	8/19/2016	Pending
Arymo ER	morphine	Egalet	1/9/2017	Yes
Vantrela ER	hydrocodone	Teva	1/18/2017	Pending
RoxyBond	oxycodone hydrochloride	Inspirion	4/20/2017	Pending

https://nida.nih.gov/publications/drugfacts/fentanyl

-OUTLAW OPIOIDS PRESCRIPTIONS Fentanyl is a powerful synthetic Opioid
The same chemical structure of Opium
Similar Morphine 50 to 100 times more
potent as prescription drug to treat pain
Prescribed doctors pharmaceuticall drug
Actique, Duragesteu, and Sublimazeu










ADDERALL ADDICTIVE MEDICATION FDA 1960 APPROVED ADHD CHILDREN

https://sites.psu.edu/siowfa14/2014/12/05/the-truth-behind-adderall/



PRESCRIPTIONS


Source: Arrive Health


https://www.dailymail.co.uk/health/article-11985793/Up-one-FOUR-middle -high-school-students-abusing-Adderall-Govt-funded-study-finds.html

POPULAR PRESCRIPTIONS

The United States prescribes many more drugs for ADHD than the rest of the world put together, but other countries are beginning to narrow the gap.








SOLVE HOMELESS DRUG ABUSE ENFORCE LAW

https://bigleaguepolitics.com/california-city-gets-rid-of-homeless-population-problem-with-zero-tolerance-measures-against-homeless-encampments/



GLOBAL ANTIDEPRESSANT USERS PER 1,000 PEOPLE





Christopher Dorner CA (2013) - mass shooting (work related); 4 killed, 3 injured Work-related Shooting Spree



Wade Michael Page Oak Creek, WI (2012) Sikh Temple shooting; 6 killed, 4 injured Hate Crime



Anderson Lee Aldrich Colorado Springs, CO (80923) LGBTQ+ Club Shooting killed 18 injured Transition Illness




Jared Loughner Tucson, AZ (2011) Constituent meeting at a supermarket; 6 killed, 13 injured listory of mental illness



Eduardo Sencion Carson City, NV (2011) IHOP shooting; 4 killed, 7 injured History of mental illness



Scott Evans Dekraai Seal Beach, CA (2011) Shooting at Salon Meritag 8 killed, 1 injured History of mental illness





Unknown motive

shooting; 4 killed, 2 injured

Shootings

[Other]

79%

Mass Shootings

Attributed by Claims of

Mental Illness

Drug Abuse

Nashville, TN (37215)

School Shooting

Transisition Illness

Former Student 6 Killed

victims. Claims of mental illness or diagnosis is derived by a variation of

documentation and open source reporting. Information is accurate at the time of

original publication and consistent with multiple-source reporting.]

Audrey Hale



John Zawahri Santa Monica, CA (2013) Community college/other locations; 4 killed, 5 injure Previously hospitalized for nental issues



William Spengler Webster, NY (2012) Firefighters ambushed; 2 killed, 2 injured Released from a Corrections Mental Health Facility



Adam Lanza Newtown, CT (2012) Sandy Hook Elementary; 27 killed, 2 injured History of mental illness



Andrew Engeldinger Minneapolis, MN (2012) Accent Signage Systems workplace shooting; 5 killed, 3 injured History of mental illness



James Eagan Holmes Aurora, CO (2012) Century 16 movie theater; 12 killed, 58 injured History of mental illness



Ian Lee Stawicki Seattle, WA (2012) Seattle Café shooting; 5 killed, 1 injured Family claimed history of mental illness